1-20-26.

IHF:MAO

DEPARTMENT OF COMMERCE BUREAU OF STANDARDS WASHINGTON

Letter Circular LC 10.

(Revised January 20, 1926).

LIST OF COMMUNICATIONS OF THE GAGE SECTION

Any of the following communications will be forwarded, without charge, to interested parties upon request. As the supply is limited only those which are of particular interest should be requested.

Letter Circular

Title

LC 12 Procedure of tests and explanation of reports of tests on limit gages by Bureau of Standards.

(Former number B466)

Relates nature of tests, methods of identification of gages, requirements for certification and sealing, and specifies information to be supplied with gages submitted for test.

LC 13 Inspection of taper thread gages.

Presents methods for measuring taper thread gages, with special attention given to the description of adaptations of methods whereby such equipment as is ordinarily available in the gage manufacturing shop may be applied.

LC 14 Construction and operation of projection apparatus for measuring screw thread gages and profiles. (Former number B510)

Includes list of parts which may be purchased in the open market, detailed and assembly drawings, and notes pertaining to the construction and use of the lantern. This communication should be requested only when it is the intention to construct the apparatus, as otherwise the information included is of little use. The supply is very limited.

, in the second of 11 to move the first of the second of t Contrary Brown Contraction A CONTRACTOR OF THE CONTRACT OF STATE O . I ha white worther to earner astrike ునులు కార్డ్ చేశాండికి కాండారికి కార్డ్ క్ కార్డ్ కార్డ్ కార్డ్ క్ కార్డ్ క్ కార్డ్ కా in and the processor with the mountained of the restriction of the restriction and the second of the stage of the contract of the contract of (19) 20日本中の伊克森では、南部、北西南部市は大阪市の大阪市の大阪市の大阪市

200

19 - 36 8

Letter Circular

Title

LC 16 Services available at the Bureau of Standards gage laboratory.
(Former number B513)

Information regarding organization and character of work, facilities and services available, gage testing fees, etc.

LC 17 Drawings and explanation of drawings used in manufacture of pitch testing device.

(Former number B514)

Includes list of parts which may be purchased in the open market, detailed and assembly drawings, and notes pertaining to the construction and use of the pitch testing device. This communication should be requested only when it is the intention to construct the apparatus, as otherwise the information included is of little use. The supply is very limited.

LC 18 Important European screw thread systems and dimensions of bolt and screw heads and nuts.

A collection of data appertaining to the five British, the International, French standard, and Loewenherz screw thread systems, and standard dimensions of bolt and screw heads and nuts in use in various European countries.

LC 20 The measurement of radii on profile gages. (Former number B519)

A presentation of methods used for determining the radii and positions of centers of curvature of arcs on profile gages.

LC 21 The micrometer microscope and its uses in gage inspection.
(Former number B521)

Includes a description of the micrometer microscope and of correct methods of manipulation in its use, and the enumeration of its applications on measuring machines and in gage inspection.

THE PROPERTY OF THE PROPERTY O

ం రాజంగా కాండ్ కొండా కాండుకుండాని కొండా కొర్దారు. ప్రాంతింది కొర్దారు కొర్దారు కొర్దారు. కొర్ తెలికి కొర్దారు కొర్దారు. కొర్డి కొర్డారు కొర్డారు. కొర్డి కొర్డారు కొర్డారు. కొర్డి తెలికి కొర్దారు కొర్డారు. కొర్డి కొర్డారు. కొర్డి కొర్డారు. కొర్డి కొర్డారు. కొర్డి కొర్డారు. కొర్డి కొర్డారు

Letter Circular

Title

LC 22 The Measurement of taper gages. (Former number B522)

Presents methods of measuring simple and complex taper gages, and formulas used in computing dimensions of tapers.

LC 23 Measurement of pitch diameter of screw thread gages.

A resume of the methods used for the measurement of pitch diameter of screw thread gages and a complete discussion of the "three-wire" method, including formulas, tables of wire sizes, and diagrams.

LC 24 Standard thicknesses of sheet metal.

Contains the principal sheet metal gages used in the United States or foreign countries; also, the available information with regard to manufacturing tolerances adopted by technical societies and manufacturers' associations, or used by leading manufacturers.

LC 108 Lead errors in commercial screw threads, taps, and dies.

Discusses the magnitude of lead errors permissible in commercial threaded product; the control of accuracy of lead by the prevailing methods of inspection, and accurate control of lead of commercial threading tools; presents recommended lead tolerances for threading tools; and suggests a practical method of inspecting the dimensions of the thread of a tap.

Sec. 2.

医温度基础

ారుడ్ 1000 - కార్కట్రాజోకా కొరుకి ఇందుకుండి ఏర్పట్టి మందుకుందా అన్నుకుంటారు. కార్డ్ - 3టోజాకాయులుల కార్డ్ కట్టు అంది ఆకార్డ్ ఉన్న సంకర్ణు అన్న కూడా - 27క్కర్ ప్రభాణికింది. అయినికి మందుకుంటి

, agent lowelf mades to tetament disting he are always age.

The construction of the construction of the force of the following the following the following the following the following the construction of the

. Peter disease has the Annual to Tiberas

Ti kun i kaagno induk juka a li joonda, aus onindradoo who, and a losiusassa selecti aa selecti oli isti alt aaistotukassa selecti oli kaastotukassa selecti oli industrati kun uuli selecti ja kaastotuksi aja jaatoo a saatani tak gaisenti vy suoma selecti aastotuksi a takkassa selectiinassa kaastotuksi

And Environ Presentation Monteen Dedicate Monteen and Contract Condi-Party (1984)



